



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

1. IDENTIFICATION

Product Name	Planit Safe™ Hi Ex 2.75% AJX2.75
Recommended use of the chemical	Surrogate Test Liquid
And restrictions on use	See Section 15
Company Identification	Vector Fire Technology, Inc. 1017 Charles St. Unit B Coatesville, PA 19320
Customer Information Number	(610) 466-1717
Emergency Telephone Number	(610) 466-1717
Issue Date	Sep. 1, 2004
Revision Date	March 31, 2025 – Rev. B 033125
Supersedes Date	4/28/23

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

Hazard Classification

Eye damage/Irritation – 2B

Signal Word: Warning

Hazard Statements

Contact with liquid may cause eye irritation.

Precautionary Statements

Prevention

Wash hands thoroughly after handling.

Wear eye protection.

Response

If in eyes: Flush with water for 15 minutes. Remove contact lenses if present and easy to do.

If eye irritation persists, get medical advice/attention.

Storage

None

Disposal

None

Other Hazards

Not identified

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity

Acute oral toxicity <10%

Acute dermal toxicity <10%

Acute inhalation toxicity <10%

Acute aquatic toxicity <10%



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

3. COMPOSITION / INFORMATION ON INGREDIENTS

This product is a mixture

Component	CAS Number	Concentration
Water	7732-18-5	85 – 90%
Potassium Chloride	7447-40-7	<5%
Sodium Benzoate	532-32-1	<5%
Hydroxyethylcellulose	9004-62-0	<5%
Triethanolamine	102-71-6	<1%

4. FIRST-AID MEASURES

Description of necessary first-aid measures

Inhalation

No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of airborne aerosol mists, exit and relocate to fresh air. Seek medical attention if effects occur.

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if irritation persists.

Skin

Wash skin thoroughly with soap and water. Launder clothing before re-use.

Ingestion

Swallowing less than an ounce is not expected to cause significant harm. For larger amounts, do not induce vomiting. Give milk or water. Never administer anything by mouth to an unconscious person. Seek medical attention.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first-aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms And effects are anticipated.

Indication of immediate medical attention and special treatment needed

None

Notes to Physicians

Treat symptomatically



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Product is not an extinguishing media.

Specific hazards arising from the chemical

None known

Specific protective actions for fire-fighters

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

NOTE: Review FIRE-FIGHTING MEASURES and HANDLING (Personnel) sections before proceeding with clean-up. Use appropriate Personal Protective Equipment during clean-up. Exercise caution, surfaces may be slippery.

Environmental Precautions

Stop flow if possible. Dilute with water to meet existing water quality standards.
Flush area with water

Methods and materials for containment and clean-up

Contain and absorb using appropriate inert materials and transfer into suitable containers for recovery or disposal in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Avoid ingestion or inhalation. Rinse skin and eyes thoroughly in case of contact. Review HAZARDS and FIRST-AID sections.

Conditions for safe storage

Store in original containers or tanks designed for product storage, between 35°F and 120°F (2°C and 49°C). Storage area should be cool, dry, under cover and out of direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Appropriate engineering controls

Special ventilation is not required.

Individual protection measures**Respiratory Protection**

Recommended exposure limits (OSHA-PEL and ACGIH-TLV) have not been determined for this material. The need for respiratory protection is not required.



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State	Liquid
Color	Clear
Odor	Bland
Odor Threshold	No data available
pH	6.8 – 8.0
Specific Gravity	1.00 – 1.04 @ 20 deg. C
Boiling Range/Point (°C/F)	No data available
Melting Point	No data available
Flash Point	No data available
Vapor Pressure	No data available
Evaporation Rate (BuAc=1)	<1
Solubility in Water	Soluble (100%)
Vapor Density (Air = 0)	n/a
VOC %	No data available
Partition coefficient (n-octanol/water)	No data available
Viscosity	8 CPS +/- 2 CPS
Auto-Ignition Temperature	n/a
Decomposition Temperature	No data available
Upper explosive limit	n/a
Lower explosive limit	n/a
Flammability (solid, gas)	n/a

10. STABILITY AND REACTIVITY

Reactivity

None

Chemical Stability

Stable

Possibility of Hazardous Reactions

Hazardous polymerization will not occur

Conditions to Avoid

Contact with incompatible materials

Incompatible Materials

Water reactive materials- burning metals – electrically energized equipment

Hazardous Decomposition Products

None



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Mammalian Toxicity – This product has not been tested as a whole for acute oral and inhalation toxicity, primary eye irritation, or primary skin irritation.

Specific Target Organ Toxicity (STOT) – single exposure

No data available

Specific Target Organ Toxicity (STOT) – repeat exposure

No data available

Serious Eye Damage/Irritation

No data available

Respiratory or Skin Sensitization

No data available

Carcinogenicity

No data available

Germ Cell Mutagenicity

No data available

Reproductive Toxicity

No data available

Aspiration Hazard

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

See Ecotoxicological information Aquatic Toxicity below

Mobility in Soil

No relevant studies identified

Persistence/Degradability

See Environmental Fate below

Bioaccumulative Potential

No relevant studies identified

Other Adverse Effects

No relevant studies identified



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

12. ECOLOGICAL INFORMATION

Environmental Fate

	As Shipped (mg/l)	As Proportioned Stream (2.75% by volume with water) (mg/l)
BOD – 5 Day	1,073	30
COD	12,180	335

13. DISPOSAL CONSIDERATIONS

Planit Safe™ Hi Ex 2.75% AJX2.75 Surrogate test liquid, as sold, is not a RCRA-listed waste or hazardous waste as characterized by 40 CFR 261. However, state and local requirements for waste disposal may be more restrictive or otherwise different from Federal regulations. Proper clean-up and disposal of this material into drains, sewers, or waterways is not expected to cause an environmental impact, however, consult with state and local authorities having jurisdiction regarding the proper regulations or concerns encompassed within your site disposal plan.

Planit Safe™ Hi Ex 2.75% AJX2.75 Surrogate test liquid can be treated by wastewater treatment facilities. Discharge into biological sewer treatment facilities may be done with prior approval. Specific concerns are high BOD load. Dilution will reduce BOD and COD factors proportionately. Low dosage flow rate to the treatment plant may be helpful. Disposal should be made in accordance with federal, state and local regulations. **This material is non-foaming.**

14. TRANSPORT INFORMATION

Shipping information
Proper Shipping Name: Not a DOT-Hazardous Substance
Hazard Class: Not Regulated
UN Number: None

This information is not intended to convey all transportation classifications that may apply to this product. Classifications may vary by container volume and by regional regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules when transporting this material.

15. REGULATORY INFORMATION

U.S. Federal Regulations

Toxic Substances Control Act (TSCA)

All components of this product are listed in the TSCA inventory.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

15. REGULATORY INFORMATION

SARA Title III Sect. 302/304

There are no components of this material with known CAS numbers that are on the Extremely Hazardous Substances (EHS) list.

SARA Title III Sect. 311/312 Categorization

This material does not contain any components subject to Sections 311 and 312 reporting requirements.

SARA Title III Sect. 313

This material does not contain any components subject to Sections 313 reporting requirements.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)

This material does not contain any components that are subject to the reporting requirements of the CERCLA.

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 0

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards – None

State Regulations

Pennsylvania Right-To-Know Hazardous Substance List

PA Hazardous Substance present at levels greater than 1%

None



SAFETY DATA SHEET

PLANIT SAFE™ Hi Ex 2.75% AJX2.75 SURROGATE TEST LIQUID
Used as a Surrogate for Ansul Jet-X 2.75 Hi Ex Foam Concentrate

16. OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

BOD5: Biochemical Oxygen Demand (5 day)

CAS#: Chemical Abstracts Service Number

COD: Chemical Oxygen Demand

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Release Date: Sep. 1, 2004

Latest Revision Date: March 31, 2025

Changes made: Updated component list to include Triethanolamine 99%. Minor spelling, grammar, and formatting changes.

Information Source and References

The information contained herein is furnished without warranty either expressed or implied. This data sheet is not part of any contract of sale. The information contained herein is believed to be correct or is obtained from sources believed to be generally reliable. However, it is the responsibility of the user of these materials to investigate, understand and comply with federal, state and local guidelines and procedures for safe handling and use of these materials. Vector Fire Technology, Inc. shall not be liable for any loss or damage arising directly or indirectly from the use of this product and Vector Fire Technology, Inc. assumes no obligation or liabilities for reliance on the information contained herein or omissions herefrom.